

Author Index of Volumes A60, A61 and A62

- Abbas, A., **62**, 748
 Adam, M., **60**, 235
 Adolphe, D., **62**, 565
 Agapov, N., **62**, 484
 Ahlbad, F., **62**, 501
 Al-Mohanadi, M.R., **60**, 142
 Ames, J., **60**, 223
 André, J.C., **62**, 741
 Ansel, Y., **62**, 576
 Anthamatten, O., **61**, 449
 Arand, D., **60**, 37
 Arnitage, A., **61**, 421
 Ashauer, M., **62**, 612
 Assmus, F., **61**, 287
 Ayela, F., **61**, 339
 Ayerdi, I., **60**, 72
 Baier, V., **60**, 1; **62**, 672
 Ballandras, S., **62**, 543, 741
 Barnett, D., **61**, 279
 Bársony, I., **60**, 235
 Bartek, M., **61**, 364; **62**, 636
 Bätting, R., **61**, 449
 Bausells, J., **62**, 676, 698
 Bechstein, S., **61**, 309
 Beckmann, F., **61**, 319; **62**, 734
 Behling, C., **60**, 40; **61**, 260
 Belobrovaya, O., **62**, 621
 Bénabès, P., **60**, 127
 Bender, S., **62**, 729
 Bendorius, R.A., **62**, 595
 Benitez, M.A., **61**, 342
 Bergveld, P., **61**, 303
 Berthold, A., **60**, 208
 Bertholds, A., **61**, 379
 Bertsch, A., **62**, 741
 Besse, P.A., **60**, 122
 Beuret, C., **61**, 379
 Beutel, H., **60**, 240
 Bhansali, S., **62**, 705
 Bigler, E., **62**, 543
 Bilenko, D., **62**, 621
 Binder, J., **61**, 319, 374
 Binnie, T.D., **61**, 421
 Bischofberger, R., **61**, 392
 Bischoff, L., **61**, 369
 Bischoff, Th., **60**, 228
 Bistué, G., **62**, 591, 668
 Blanchard, H., **60**, 10
 Boardman, B., **60**, 223
 Bonvalot, B., **60**, 86
 Bosch, T., **62**, 534
 Bossche, A., **62**, 475
 Bora, S., **62**, 698
 Brignell, J.E., **60**, 142; **61**, 427
 Briot, J.B., **62**, 543
 Brooks, K., **60**, 147
 Brown, I.G., **62**, 705
 Brunnschweiler, A., **60**, 163; **62**, 756
 Brussel, H.V., **61**, 379, 455
 Bruynseraede, Y., **61**, 323
 Bryzek, J., **62**, 711
 Bures, J., **62**, 501
 Butte, E., **62**, 765
 Calderer, J., **62**, 524
 Calderón, L., **61**, 256
 Calin, M., **62**, 741
 Carper, J.S., **60**, 181
 Carrabina, J., **62**, 698
 Castaño, E., **60**, 65, 72; **62**, 591, 668
 Catanesu, R., **61**, 374
 Cătușanu, V., **60**, 139
 Ceres, R., **61**, 256; **62**, 488
 Chatzandroulis, S., **62**, 551
 Chau, M.-T., **60**, 86
 Chaussey, J., **61**, 339
 Cheshmehdoost, A., **60**, 29, 160
 Chiesi, L., **60**, 5
 Chilibon, I., **60**, 139
 Chilla, E., **61**, 309, 313
 Chiriac, H., **62**, 687
 Chun, K., **62**, 586
 Cocorullo, G., **61**, 267
 Coehoorn, R., **60**, 90
 Coldobanova, O., **62**, 621
 Collings, A.F., **60**, 54
 Cornan, T., **61**, 249
 Cozma, A., **60**, 32, 68
 Cunningham, S.J., **60**, 181
 Dommann, A., **61**, 387
 Donagic, D., **61**, 331
 Dözel, W., **62**, 506, 760
 Dream, J.Y., **62**, 565
 Drobin, V., **62**, 484
 Druzhinin, A., **61**, 400
 Du, J., **60**, 54; **61**, 279
 Dübendorfer, J., **60**, 23
 Dücsö, Cs., **60**, 235
 Dufour, I., **62**, 748
 Durand, S., **60**, 168
 Durec, M., **61**, 323
 Dyer, D.C., **62**, 724
 Ederer, I., **62**, 752
 Eichelbaum, F., **60**, 40
 Eichner, D., **60**, 103
 Elbrecht, L., **61**, 374
 Elizalde, J.G., **62**, 591, 668
 Elwenspoek, M.C., **62**, 599
 Enderlein, J., **61**, 309
 Endres, H.-E., **62**, 633
 Enoksson, P., **61**, 249
 Ensell, G., **60**, 163
 Esteve, J., **60**, 176; **61**, 342
 Evans, A.G.R., **60**, 163; **62**, 756
 Evans, P.J., **62**, 705
 Férauge, C., **62**, 624
 Fischer, W.J., **61**, 431; **62**, 729
 Flanagan, J.A., **60**, 5
 Foerster, J.A., **61**, 364
 Folkerts, W., **60**, 90
 Forster, M., **60**, 147
 Fournier, T., **61**, 339
 Francais, O., **62**, 748
 Fransen, A., **60**, 49
 French, P.J., **61**, 415; **62**, 513, 636, 652, 692
 Fritsch, H., **62**, 616
 Fröhlich, H.-J., **61**, 309, 313
 Frolov, G.A., **62**, 571
 Fromheim, O., **61**, 436
 Gafsi, R., **62**, 501
 García-Alonso, A., **60**, 65, 72; **62**, 591, 668
 García-Alonso, S., **62**, 591
 Gardieners, J.G.E., **60**, 235; **62**, 599
 Gardier, J.W., **62**, 724
 Gavignet, E., **62**, 543
 Gemmeke, H., **61**, 436
 Gemmisen, P.T.J., **62**, 636, 652
 Georgiev, V., **62**, 484
 Gijbels, R., **62**, 624
 Giousouf, M., **61**, 287
 Goldfinch, J., **61**, 356
 Goosen, J.F.L., **62**, 692
 Gottfried-Gottfried, R., **60**, 108; **61**, 273
 Goustouridis, D., **62**, 551
 Gracia, F.J., **60**, 65; **62**, 591, 668
 Gracia, J., **60**, 72
 Grätz, H., **61**, 431; **62**, 729
 Grétilat, M.-A., **60**, 219; **61**, 449
 Gradin, O.M., **62**, 571
 Gunenjuk, S., **62**, 529
 Haase, N., **60**, 108
 Hamada, Y., **62**, 663
 Harding, G.L., **60**, 54; **61**, 279
 Haroud, K., **60**, 5
 Haskard, M.R., **62**, 646
 Hatfield, J.V., **61**, 356
 Hauden, D., **62**, 741
 Hauptmann, P., **60**, 40; **61**, 260; **62**, 616
 Heeren, P.-H., **61**, 379
 Heinig, A., **62**, 729
 Helle, H., **60**, 80
 Herrala, E., **61**, 335
 Hess, G., **61**, 352
 Hicks, P.J., **61**, 356
 Hiltmann, K., **62**, 612
 Hoehler, R., **60**, 62; **61**, 293
 Hofmann, T., **61**, 319; **62**, 734
 Holý, S., **62**, 556
 Honda, N., **62**, 663
 Howe, E., **61**, 279
 Hunklinger, S., **62**, 562
 Hyvärinen, T., **61**, 335
 Indermühle, P.-F., **60**, 186
 In't Hout, S.R., **60**, 14
 Iodice, M., **61**, 267
 Iseli, C.d.R., **60**, 10
 Iwert, T., **62**, 616
 Jansen, H.V., **62**, 599
 Jaramillo, P., **60**, 223
 Jaramillo, P.D., **60**, 181
 Jarkova, E., **62**, 621
 Jeong, Y.-G., **62**, 586
 Jiménez, A.R., **62**, 488

- Jones, B.E., **60**, 29, 160
 Jungnickel, F., **61**, 313
- Kanda, Y., **62**, 539
 Kang, I.-B., **62**, 646
 Katsan, I.I., **62**, 571
 Kawata, K., **60**, 197
 Keller, P., **61**, 298
 Kessler, E., **60**, 1
 Khasina, E., **62**, 621
 Kidoguchi, S., **62**, 663
 Kielbasa, R., **60**, 127
 Killat, D., **61**, 346
 Kim, H., **62**, 586
 Kindt, W.J., **60**, 98
 Klein, C., **62**, 562
 Kluge, J.v., **61**, 346
 Koch, F., **60**, 228
 Koch, M., **60**, 163; **62**, 756
 Köhler, J.M., **60**, 202; **62**, 672
 Kohli, M., **60**, 147
 Kools, J.C.S., **60**, 90
 Koudelka-Hep, M., **60**, 219
 Kremp, P., **61**, 361
 Krivošik, P., **61**, 323
 Krutovetsev, S.A., **62**, 582
 Krutovetseva, L.S., **62**, 582
 Kück, H., **60**, 108
 Kuhl, M., **61**, 415
 Kuisma, H., **60**, 113
 Kunz, R.E., **60**, 23
 Kunze, D., **61**, 273
 Kurth, S., **62**, 760
- Marschner, U., **61**, 431
 Martin, G., **62**, 543
 Martín, J.M., **61**, 256
 Martín, M.C., **60**, 65
 Marushkin, K., **62**, 624
 Marxer, C., **61**, 449
 Maryamova, I., **61**, 400
 Matko, V., **61**, 331
 Matsuura, T., **60**, 197
 Mayer, G., **60**, 202; **62**, 672
 Mazeikis, P.A., **62**, 595
 McInyre, D., **60**, 223
 McInyre, D.G., **60**, 181
 Mellor, P.H., **61**, 469
 Mertos, A., **62**, 698
 Merveille, C., **60**, 244
 Mescheder, U., **60**, 134
 Messaoudi, T., **61**, 405
 Meyer, J.-U., **60**, 240; **61**, 298
 Michaelis, S., **61**, 319
 Middelhoek, S., **60**, 14
 Möllinger, J.R., **62**, 475
 Morante, J.R., **62**, 524, 676
 Moreno, M., **62**, 524
 Müller, G., **60**, 228
 Müller, J., **60**, 1
 Münch, W.v., **61**, 287
 Muñoz, J., **62**, 524
 Murali, P., **60**, 147
 Mysenko, I., **62**, 621
- Nagata, M., **62**, 663
 Navarro, M., **62**, 676
 Navratil, P., **60**, 76
 Neagu, C.R., **62**, 599
 Necsoiu, T., **60**, 139
 Nguyen, N.T., **62**, 506
 Ni, Y., **62**, 492
 Nicolet, M.-A., **61**, 387
 Normand, P., **62**, 551
 Nossarzewska-Orłowska, E., **60**, 154
 Nowak, Z., **60**, 154
- O'Halloran, G.M., **61**, 415
 Öksüzoglu, R.M., **62**, 562
 Olazola, S., **62**, 668
 Olthuis, W., **61**, 303
 Oura, K., **62**, 663
- Paneva, R., **62**, 765
 Paoletti, F., **60**, 219
 Passeratib, Ph.A., **60**, 122
 Peiner, E., **62**, 616
 Peirs, J., **61**, 455
 Perchet, G., **62**, 534
 Piotrowski, J., **60**, 154
 Plaza, J.A., **60**, 176; **61**, 342
 Podlepeksky, B., **62**, 529
 Poenar, D.P., **62**, 513
 Pons, J.L., **62**, 488
 Popovic, R.S., **60**, 5, 10, 122
 Poser, S., **60**, 1; **62**, 672
 Puers, R., **60**, 32, 68, 191
- Racine, G.-A., **60**, 186
 Raetsch, P., **62**, 752
- Randall, D.S., **60**, 160
 Raynor, J.M., **61**, 327
 Regien, P.P.L., **61**, 421
 Renaud, Ph., **62**, 576
 Rendina, I., **61**, 267
 Revuelto, E., **60**, 65
 Rey-Mennet, G., **60**, 122
 Reynaerts, D., **60**, 212; **61**, 379, 455; **62**, 488
 Richter, M., **62**, 480
 Riedijk, F.R., **61**, 441
 Rietz, S., **62**, 729
 Rijks, Th.G.S.M., **60**, 90
 Ripka, P., **60**, 76
 Robu, M., **60**, 139
 Rohde, M., **61**, 463
 Ross, J.N., **60**, 142
 Roth, M., **62**, 633
 Roth, S., **60**, 219
 Rothmann, K., **61**, 293
 Rudkin, M.J., **60**, 160
 Rusu, F., **62**, 687
 Ryhänen, T., **60**, 113
 Ryser, P., **60**, 147
 Ryssel, H., **62**, 765
- Samaan, N.D., **62**, 646
 Samitier, J., **62**, 676, 698
 Sandmaier, H., **62**, 612
 Sarraute, E., **62**, 748
 Sarto, P.M., **61**, 267, 421; **62**, 636, 652
 Schaber, U., **62**, 633
 Schad, R., **61**, 323
 Scheerer, W., **61**, 287
 Schilling, F., **60**, 37
 Schimkat, D., **62**, 672
 Schlachetzki, A., **62**, 616
 Schleizer, G., **61**, 361
 Schmidt, B., **61**, 369
 Schmitz, R., **61**, 346
 Schneider, B., **62**, 729
 Scholz, D., **62**, 616
 Schönberg, J., **61**, 309
 Schranz, S., **60**, 40
 Schubert, Th., **60**, 108
 Schullerus, W., **62**, 752
 Schulz, T., **62**, 672
 Schürmann, G., **60**, 186
 Schüssler, A., **61**, 463
 Seitz, P., **61**, 327
 Setiadi, D., **61**, 421
 Setter, N., **60**, 147
 Shahjerdly, N.H., **60**, 98
 Shearwood, C., **61**, 469
 's Heeren, P.-H., **60**, 212
 Shelyakin, A.A., **62**, 624
 Shoji, F., **62**, 663
 Siebert, A., **62**, 672
 Smith, A., **62**, 599
 Soembagijo, A.S., **62**, 488
 Sokol-Kutylowski, O.L., **62**, 496
 Sokolovsky, A.A., **62**, 624
 Sood, D.K., **62**, 705
 Spassov, L., **62**, 484
 Spineanu, A., **60**, 127
- Stan, A., **60**, 139
 Starr, L., **60**, 223
 Starr, L.E., **60**, 181
 Stauffert, G., **61**, 387, 392
 Stemme, G., **61**, 249
 Stieglitz, T., **60**, 240
 Strack, H., **60**, 62; **61**, 293
 Streil, T., **61**, 431
 Su, Y., **60**, 163
 Suski, J., **60**, 86
 Szabó, I., **60**, 235
- Tagliante, S., **61**, 319
 Taguchi, M., **60**, 197
 Taner, A.H., **61**, 427
 Tarasova, A.E., **62**, 582
 Taic-Lucic, S., **60**, 181, 223
 Teichert, J., **61**, 369
 Tellier, C.R., **60**, 168; **61**, 405
 Temmel, G., **62**, 765
 Thiebaud, P., **60**, 219
 Thielemann, C., **61**, 352
 Thott, F., **62**, 565
 Tille, C., **62**, 752
 Trimp, P.J., **61**, 415
 Tschuch, M., **61**, 436
 Tsoukalas, D., **62**, 551
 Tsutsumi, K., **60**, 197
- Umbach, F., **61**, 346
 Urse, M., **62**, 687
- Välimäki, H., **60**, 80
 Valk, B., **61**, 449
 Van Brussel, H., **60**, 212; **62**, 488
 Van den Berg, A., **60**, 235
 Van Dieënhuizen, B.P., **62**, 692
 Van Kesteren, H.W., **60**, 90
 Van Landuyt, J., **62**, 624
 Van Zeijl, H.W., **60**, 98
 Vargas, E., **61**, 256
 Vasiljev, M.G., **62**, 624
 Vávra, I., **61**, 323
 Vázsonyi, É., **60**, 235
 Veijola, T., **60**, 113
 Vellekoop, M.J., **60**, 49, 208
 Veltink, P.H., **61**, 303
 Verbanck, G., **61**, 323
 Vergov, L., **62**, 484
 Verkeij, J., **62**, 595
 Verrall, A., **60**, 29
 Vladimirova, N., **62**, 484
 Vlček, J., **62**, 556
 Vogel, P., **61**, 449
 Vogel, S., **62**, 633
 Volf, J., **62**, 556
 Volkov, V.V., **62**, 624
 Von Münch, W., **60**, 103
 Von Schickfus, M., **62**, 562
 Voronin, V., **61**, 400
 Voutilainen, O., **61**, 335
- Wallnöfer, W., **61**, 361
 Wang, C., **62**, 492
 Weiblen, K., **60**, 37
 Weinmann, M., **61**, 287
 Weir, D., **62**, 480

- | | | | |
|---------------------------------|---|--------------------------------|-----------------------------------|
| Welsch, W., 62 , 562 | Willing, B., 60 , 147 | Wuestling, S., 61 , 436 | Zacheja, J., 61 , 319, 374 |
| Welser, W., 60 , 228 | Wolias, P., 62 , 480 | Wuehrich, C., 60 , 147 | Zech, U., 62 , 752 |
| Wende, U., 61 , 273 | Wolffenbuttel, R.F., 61 , 364,
441; 62 , 513, 680, 692 | Yasukawa, A., 62 , 539 | Zimmermann, H., 61 , 392 |
| Whitehead, N., 60 , 29 | Wollersheim, O., 61 , 436 | Yates, R.B., 61 , 469 | Zissi, S., 62 , 741 |
| Williams, C.B., 61 , 469 | | | Zorin, A.V., 62 , 582 |



Subject Index of Volumes A60, A61 and A62

- Accelerometers**
new FET accelerometer based on surface micromachining, **61**, 342
mechanical sensors integrated in a commercial CMOS technology, **62**, 698
- Acoustic microscopy**
dynamic behaviour of a quartz extensional-mode non-tactile profile sensor, **61**, 287
- Acoustic sensors**
an experimental study of Love-wave acoustic sensors operating in liquids, **60**, 54
possibilities and limitations in quantitative determination of polymer shear parameters by TSM resonators, **61**, 260
Love wave acoustic immunosensor operating in liquid, **61**, 279
- Acoustic waves**
transverse waves trapped by metallic gratings deposited on thin quartz plates, **62**, 543
- Acoustoelectric coupling**
an experimental study of Love-wave acoustic sensors operating in liquids, **60**, 54
- Actuators**
a novel combined redundant pressure sensor with self-test function, **60**, 68
microstereolithography and shape memory alloy for the fabrication of miniaturized actuators, **62**, 741
- Additives**
the effect of additives on the adsorption properties of porous silicon, **61**, 415
- Adsorption**
the effect of additives on the adsorption properties of porous silicon, **61**, 415
- Alpha radiation**
smart card for detection of alpha radiation, **61**, 431
- Alternative-fuel vehicles**
comparison of a conventional with an advanced micromachined flexible-fuel sensor, **61**, 319
- Aluminium arsenide**
AlAs/GaAs layered structures for SAW sensors, **61**, 313
- Aluminium interconnects**
problems of sacrificial etching in the presence of aluminium interconnect, **62**, 692
- Amorphous ferromagnetic alloys**
magnetic-field sensors based on amorphous alloys for high-sensitivity low-frequency measurements, **62**, 496
- Angle measurement**
novel miniature integrated optical goniometers, **60**, 23
- Angular rate sensors**
simulation model for micromechanical angular rate sensor, **60**, 113
mode coupling aspects in a vibrating gyroscope, **62**, 576
- Anisotropic etching**
a study of two-step silicon anisotropic etching for a polygon-shaped microstructure using KOH solution, **62**, 646
- Anodic bonding**
non-destructive in situ test for anodic bonding, **60**, 176
- Bond-quality characterization of silicon-glass anodic bonding**, **60**, 223
- Anodic oxide growth**
on the anodic passivation of silicon in aqueous KOH solutions, **60**, 191
- Anodic passivation**
on the anodic passivation of silicon in aqueous KOH solutions, **60**, 191
- Atomic force microscopes**
fabrication of improved piezoresistive silicon cantilever probes for the atomic force microscope, **60**, 163
fabrication and characterization of cantilevers with integrated sharp tips and piezoelectric elements for actuation and detection for parallel AFM applications, **60**, 186
- Automobile heaters**
piezoelectrically driven micropump for on-demand fuel-drop generation in an automobile heater with continuously adjustable power output, **62**, 752
- Avalanche photodiodes**
a silicon avalanche photodiode for single optical photon counting in the Geiger mode, **60**, 98
- Biomedical applications**
a novel combined redundant pressure sensor with self-test function, **60**, 68
a solid-state pressure-sensing microsystem for biomedical applications, **62**, 551
- Biosensors**
an experimental study of Love-wave acoustic sensors operating in liquids, **60**, 54
Love wave acoustic immunosensor operating in liquid, **61**, 279
- Biotechnology**
micromechanical compartments for biotechnological applications: fabrication and investigation of liquid evaporation, **60**, 202
- Bipolar-compatible epitaxial polysilicon**
bipolar-compatible epitaxial poly for smart sensors: stress minimization and applications, **62**, 636
- Bond quality**
bond-quality characterization of silicon-glass anodic bonding, **60**, 223
- Borosilicate glass**
a new fabrication method for borosilicate glass capillary tubes with lateral inlets and outlets, **60**, 219
- Brightness**
a contrast- and brightness-insensitive optoelectronic edge detector, **60**, 62
- Bulk micromachining**
a two-step electrochemical etch-stop to produce freestanding bulk-micromachined structures, **60**, 103
porous silicon bulk micromachining for thermally isolated membrane formation, **60**, 235
- Bus interfaces**
colour-sensor system with a frequency output and an ISS or I²C bus interface, **61**, 441

- Calibration
 - calibration procedure for piezoresistance coefficients of polysilicon sheets and application to a stress test chip, **62**, 475
- CAN bus interface
 - multisensor signal processing with CAN bus interface, **62**, 729
- Cantilevers
 - fabrication of improved piezoresistive silicon cantilever probes for the atomic force microscope, **60**, 163
 - fabrication and characterization of cantilevers with integrated sharp tips and piezoelectric elements for actuation and detection for parallel AFM applications, **60**, 186
- Cantilever valves
 - simulation and fabrication of micromachined cantilever valves, **62**, 756
- Capacitive accelerometers
 - design, realization and characterization of a symmetrical triaxial capacitive accelerometer for medical applications, **61**, 303
- Capacitive sensors
 - sensor for high-air-humidity measurement, **61**, 331
 - improvement of the linearity of a capacitive pressure sensor using an interdigitated electrode structure, **62**, 586
- Capillary tubes
 - a new fabrication method for borosilicate glass capillary tubes with lateral inlets and outlets, **60**, 219
- Ceramics
 - high-temperature ceramic pressure sensor, **60**, 72
- Cermet films
 - on temperature dependence of conductivity and thermopower of co-sputtered $\text{Ni}_x\text{-(SiO}_2\text{)}_{1-x}$ composite thin films, **62**, 687
- Charge amplifiers
 - an integrated charge amplifier for a pyroelectric sensor, **61**, 421
- Chemical etching
 - chemical etching of Y-rotated quartz plates: experiments and theoretical approach, **61**, 405
- Chemical sensors
 - analysis of complex impedances in CMOS technology for chemical sensor applications, **62**, 734
- Circuit simulation
 - simulation model for micromechanical angular rate sensor, **60**, 113
- CMOS
 - mechanical sensors integrated in a commercial CMOS technology, **62**, 698
- CMOS ring oscillators
 - CMOS fully digital integrated pressure sensors, **60**, 86
- CMOS technology
 - photosensor and optical waveguide coupling in silicon technology, **62**, 524
 - analysis of complex impedances in CMOS technology for chemical sensor applications, **62**, 734
- Cobalt
 - giant magnetoresistance and its application in recording heads, **60**, 90
- Colour sensors
 - colour-sensor system with a frequency output and an ISS or I^2C bus interface, **61**, 441
 - colour sensors based on active interference filters using silicon-compatible materials, **62**, 513
- Combinatorial chemistry
 - micromechanical compartments for biotechnological applications: fabrication and investigation of liquid evaporation, **60**, 202
- Communications standards
 - introduction to IEEE-P1451, the emerging hardware-independent communication standard for smart transducers, **62**, 711
- Complex impedance
 - analysis of complex impedances in CMOS technology for chemical sensor applications, **62**, 734
- Compressional waves
 - analysis of compressional-wave influence on thickness-shear-mode resonators in liquids, **60**, 40
- Conducting polymers
 - high-precision intelligent interface for a hybrid electronic nose, **62**, 724
- Conductive rubber
 - using of tactile transducer for pressure-distribution measurement on the sole of the foot, **62**, 556
- Conductivity
 - on temperature dependence of conductivity and thermopower of co-sputtered $\text{Ni}_x\text{-(SiO}_2\text{)}_{1-x}$ composite thin films, **62**, 687
- Contrast
 - a contrast- and brightness-insensitive optoelectronic edge detector, **60**, 62
- Cryogenics
 - thermosensitive quartz resonators at cryogenic temperatures, **62**, 484
- Damping effects
 - dynamic behaviour of a quartz extensional-mode non-tactile profile sensor, **61**, 287
- Deformation
 - deformation control of microbridges for flow sensors, **60**, 197
- Differential relaxation oscillators
 - inductive proximity sensor with a flat coil and a new differential relaxation oscillator, **60**, 122
- Digital accelerometers
 - a digital piezoelectric accelerometer with sigma-delta servo technique, **60**, 127
- Drug delivery
 - an implantable drug-delivery system based on shape memory alloy micro-actuation, **61**, 455
- Dynamic testing
 - experimental adaptation of model parameters for microelectro-mechanical systems (MEMS), **62**, 760
- Edge detectors
 - a contrast- and brightness-insensitive optoelectronic edge detector, **60**, 62
- Electret membranes
 - inorganic electret membrane for a silicon microphone, **61**, 352
- Electrocaloric principle
 - asymmetrical locations of heaters and sensors relative to each other using heater arrays: a novel method for designing multi-range electrocaloric mass-flow sensors, **62**, 506
- Electrochemical etch-stop
 - a two-step electrochemical etch-stop to produce freestanding bulk-micromachined structures, **60**, 103
- Electrochemically controlled etching
 - optimization of a three-electrode electrochemical etch-stop process, **62**, 668
- Electrode arrays
 - a 'when and where' charged-particle sensing system, **61**, 356
- Electro-discharge machining
 - microstructuring of silicon by electro-discharge machining (EDM) — part I: theory, **60**, 212
 - microstructuring of silicon by electro-discharge machining (EDM) — part II: applications, **61**, 379
- Electrodynamic levitation
 - modelling and testing of a frictionless levitated micromotor, **61**, 469
- Electroforming
 - low-cost HARMs process, **61**, 392
- Electroless nickel films
 - ion implantation for nucleation of electroless Ni films on $\langle 100 \rangle$ Si, **62**, 705
- Electrolyte monitoring
 - low-cost HARMs process, **61**, 392
- Electromagnetic induction
 - modelling and testing of a frictionless levitated micromotor, **61**, 469

- Electromechanical Ta-Si-N beams
 - ternary Ta-Si-N films for sensors and actuators, **61**, 387
- Electromechanics
 - planar-assembly triaxial microaccelerometer with electromechanical sigma-delta ADCs, **61**, 436
- Electronic noses
 - high-precision intelligent interface for a hybrid electronic nose, **62**, 724
- Electron spectrometers
 - a 'when and where' charged-particle sensing system, **61**, 356
- Electrostatic actuation
 - electrostatic actuation as a self-testing method for silicon pressure sensors, **60**, 32
- Electrostatic actuators
 - reliability considerations for electrostatic polysilicon actuators using as an example the REMO component, **61**, 449
- Electrostatically excited resonators
 - gas damping of electrostatically excited resonators, **61**, 249
- Electrostatic force Q -factors
 - a micromachined silicon magnetometer, **61**, 339
- Electrostatic micromotors
 - simulation of self-control of an electrostatic micromotor for an intravascular echographic system, **62**, 748
- Encapsulating technique
 - electrically removable, micromachined encapsulation for sensitive materials, **62**, 633
- Envelope
 - ultrasonic sensor for liquid-level inspection in bottles, **61**, 256
- Epi-micromachining
 - new silicon micromachining techniques for microsystems, **62**, 652
- Equivalent-circuit model
 - prediction ability of a lumped-element equivalent-circuit model for thickness-shear mode resonators in liquids, **60**, 80
- Error analysis
 - error analysis of phase-shift laser rangefinder with high-level signal, **62**, 534
- Etching
 - micromachining of (*hh*) silicon structures: experiments and 3D simulation of etched shapes, **60**, 168
- Etch stop
 - optimization of a three-electrode electrochemical etch-stop process, **62**, 668
- Eutectic bonding
 - low-temperature intermediate Au-Si wafer bonding: eutectic or silicide bond, **62**, 680
- Fabrication methods
 - characterization of the influence of fabrication methods on micro-structure failure, **60**, 181
- Fabry-Pérot cavities
 - an integrated silicon interferometric temperature sensor, **61**, 267
- Feature extraction
 - a hierarchical smart-pixel array for feature extraction with on-chip storage, **61**, 293
- Ferroelectric materials
 - pyroelectric thin-film sensor array, **60**, 147
- Ferromagnetic materials
 - planar fluxgate sensors: experimental data and theoretical analysis, **61**, 273
- Field-effect transistors (FETs)
 - new FET accelerometer based on surface micromachining, **61**, 342
- Flexible-fuel sensors
 - comparison of a conventional with an advanced micromachined flexible-fuel sensor, **61**, 319
- Flow-rate measurement
 - microchannels for applications in liquid dosing and flow-rate measurement, **62**, 480
- Flow sensors
 - deformation control of microbridges for flow sensors, **60**, 197
- Fluxgate sensors
 - fluxgate sensor for magnetopneumometry, **60**, 76
 - planar fluxgate sensors: experimental data and theoretical analysis, **61**, 273
- Forced convection
 - asymmetrical locations of heaters and sensors relative to each other using heater arrays: a novel method for designing multi-range electrocaloric mass-flow sensors, **62**, 506
- Frequency
 - advanced integrated magnetic-field sensors with frequency output, **62**, 529
- Frequency output
 - colour-sensor system with a frequency output and an ISS or I^2C bus interface, **61**, 441
- Frictionless
 - modelling and testing of a frictionless levitated micromotor, **61**, 469
- Frontside micromachining
 - frontside micromachining using porous-silicon sacrificial-layer technologies, **60**, 228
- Fuel-drop generation
 - piezoelectrically driven micropump for on-demand fuel-drop generation in an automobile heater with continuously adjustable power output, **62**, 752
- Gallium arsenide
 - two-channel SAW sensor signal-transmission system, **61**, 309
- AlAs/GaAs layered structures for SAW sensors, **61**, 313
- Gallium phosphate
 - gallium phosphate, $GaPO_4$: a new piezoelectric crystal material for high-temperature sensorics, **61**, 361
- Gas damping
 - gas damping of electrostatically excited resonators, **61**, 249
- Gas-flow sensors
 - low power consumption thermal gas-flow sensor based on thermopiles of highly effective thermoelectric materials, **60**, 1
- Gas-pressure measurements
 - thermal microsensor with a.c. heating for gas-pressure measurements, **62**, 571
- Geiger mode
 - a silicon avalanche photodiode for single optical photon counting in the Geiger mode, **60**, 98
- Geophysics
 - magnetic-field sensors based on amorphous alloys for high-sensitivity low-frequency measurements, **62**, 496
- Giant magnetoresistance
 - giant magnetoresistance and its application in recording heads, **60**, 90
 - multisegment magnetoresistive sensor based on the GMR effect, **61**, 323
- Glass
 - bond-quality characterization of silicon-glass anodic bonding, **60**, 223
- Gold
 - low-temperature intermediate Au-Si wafer bonding: eutectic or silicide bond, **62**, 680
- Gravimetric sensitivity
 - transverse waves trapped by metallic gratings deposited on thin quartz plates, **62**, 543
- Hall sensors
 - chopping of a weak magnetic field by a saturable magnetic shield, **60**, 5
 - compensation of the temperature-dependent offset drift of a Hall sensor, **60**, 10
 - a 400°C silicon Hall sensor, **60**, 14
 - multisegment magnetoresistive sensor based on the GMR effect, **61**, 323

- HARMS process
 - low-cost HARMS process, **61**, 392
- Heat transfer
 - asymmetrical locations of heaters and sensors relative to each other using heater arrays: a novel method for designing multi-range electrocaloric mass-flow sensors, **62**, 506
- Heterostructures
 - IPE growth and characterization of InGaAsP/InP heterostructures: IR light-emitting diodes at 1.66 μm . Application to the remote monitoring of methane gas, **62**, 624
- Hierarchical smart-pixel arrays
 - a hierarchical smart-pixel array for feature extraction with on-chip storage, **61**, 293
- High-level signals
 - error analysis of phase-shift laser rangefinder with high-level signal, **62**, 534
- High temperature
 - a 400°C silicon Hall sensor, **60**, 14
- high-temperature ceramic pressure sensor, **60**, 72
- High-temperature sensorics
 - gallium phosphate, GaPO_4 : a new piezoelectric crystal material for high-temperature sensorics, **61**, 361
- High voltage
 - high-resolution high-voltage sensor based on SAW, **60**, 49
- Humidity sensing
 - the effect of additives on the adsorption properties of porous silicon, **61**, 415
- Humidity sensors
 - fabrication and analysis of a thick-film humidity sensor based on MnWO_4 , **61**, 298
 - sensor for high-air-humidity measurement, **61**, 331
 - integrated multifunctional humidity sensor, **62**, 582
- Hydrodynamic friction
 - dynamic behaviour of a quartz extensional-mode non-tactile profile sensor, **61**, 287
- Hydrogen sulfide sensors
 - sensors on low-dimensional silicon structures, **62**, 621
- Hydrophones
 - some aspects of the piezoceramic materials utilized in sensitive hydrophones, **60**, 139
- IC-compatible
 - IC-compatible silicon wafer-to-wafer bonding, **60**, 208
- IgG antibody
 - Love wave acoustic immunosensor operating in liquid, **61**, 279
- Image analysis
 - study of nonwoven mass reorganization under tensile stress thanks to a new optical sensor and image analysis, **62**, 565
- Imaging spectrometry
 - an optoelectronic sensor system for industrial multipoint and imaging spectrometry, **61**, 335
- Immunosensing
 - immunosensing with surface acoustic wave sensors, **62**, 562
- Immunosensors
 - Love wave acoustic immunosensor operating in liquid, **61**, 279
- Implantable microsystems
 - characterization of a planar microcoil for implantable microsystems, **62**, 599
- Inclinometers
 - micromechanical inclinometer, **60**, 134
- Inductive proximity sensors
 - inductive proximity sensor with a flat coil and a new differential relaxation oscillator, **60**, 122
- Industrial applications
 - an optoelectronic sensor system for industrial multipoint and imaging spectrometry, **61**, 335
- Industrial measurement and testing
 - novel miniature integrated optical goniometers, **60**, 23
- Infrared
 - IPE growth and characterization of InGaAsP/InP heterostructures: IR light-emitting diodes at 1.66 μm . Application to the remote monitoring of methane gas, **62**, 624
- Innovative processing methods
 - writing FIB implantation and subsequent anisotropic wet chemical etching for fabrication of 3D structures in silicon, **61**, 369
- In situ stress measurements
 - in situ stress measurements of sputter-deposited films, **62**, 663
- Integrated optical sensors
 - novel miniature integrated optical goniometers, **60**, 23
- reflective-index measurements using an integrated Mach-Zehnder interferometer, **60**, 108
- Integrated sensors
 - CMOS fully digital integrated pressure sensors, **60**, 86
 - an integrated silicon interferometric temperature sensor, **61**, 267
 - advanced integrated magnetic-field sensors with frequency output, **62**, 529
- integrated multifunctional humidity sensor, **62**, 582
- Intelligent interfaces
 - high-precision intelligent interface for a hybrid electronic nose, **62**, 724
- Intelligent sensors
 - optical power and intelligent sensors, **60**, 142
- virtual instrumentation and intelligent sensors, **61**, 427
- Interdigitated electrodes
 - improvement of the linearity of a capacitive pressure sensor using an interdigitated electrode structure, **62**, 586
- Interfacing
 - a flexible, light-weight multichannel sieve electrode with integrated cables for interfacing regenerating peripheral nerves, **60**, 240
- Interference filters
 - colour sensors based on active interference filters using silicon-compatible materials, **62**, 513
- Interferometric sensors
 - an integrated silicon interferometric temperature sensor, **61**, 267
- Ion implantation
 - ion implantation for nucleation of electroless Ni films on $\langle 100 \rangle$ Si, **62**, 705
- Laser micromachining
 - on the response-time behaviour of laser micromachined NiTi shape memory actuators, **61**, 463
- Laser rangefinders
 - error analysis of phase-shift laser rangefinder with high-level signal, **62**, 534
- Laser recrystallization
 - mechanical sensors based on laser-recrystallized SOI structures, **61**, 400
- LIGA technique
 - low-cost HARMS process, **61**, 392
- Light-emitting diodes
 - IPE growth and characterization of InGaAsP/InP heterostructures: IR light-emitting diodes at 1.66 μm . Application to the remote monitoring of methane gas, **62**, 624
- Light-frequency sensors
 - a linear array of photodetectors with wide dynamic range and near photon quantum-noise limit, **61**, 327
- Light sensors
 - a spatio-temporal differentiation light sensor, **62**, 492
- Liquid dosing
 - microchannels for applications in liquid dosing and flow-rate measurement, **62**, 480

- Liquid evaporation
 - micromechanical compartments for biotechnological applications: fabrication and investigation of liquid evaporation, **60**, 202
- Liquid level
 - ultrasonic sensor for liquid-level inspection in bottles, **61**, 256
- Liquid-phase epitaxy
 - IPE growth and characterization of InGaAsP/InP heterostructures: IR light-emitting diodes at 1.66 μm . Application to the remote monitoring of methane gas, **62**, 624
- Liquid viscosity
 - an experimental study of Love-wave acoustic sensors operating in liquids, **60**, 54
- Liquid viscosity-density product
 - prediction ability of a lumped-element equivalent-circuit model for thickness-shear mode resonators in liquids, **60**, 80
- Love waves
 - an experimental study of Love-wave acoustic sensors operating in liquids, **60**, 54
- Love wave acoustic immunosensor operating in liquid, **61**, 279
- Low-dimensional silicon structures
 - sensors on low-dimensional silicon structures, **62**, 621
- Low power consumption
 - low power consumption thermal gas-flow sensor based on thermopiles of highly effective thermoelectric materials, **60**, 1
- Low temperature
 - IC-compatible silicon wafer-to-wafer bonding, **60**, 208
- Mach-Zehnder interferometers
 - refractive-index measurements using an integrated Mach-Zehnder interferometer, **60**, 108
- MAGFETs
 - measurement and modelling of sensitivity and noise of MOS magnetic field-effect transistors, **61**, 346
- Magnetic-field sensors
 - a 400°C silicon Hall sensor, **60**, 14
- magnetic-field sensors based on amorphous alloys for high-sensitivity low-frequency measurements, **62**, 496
- advanced integrated magnetic-field sensors with frequency output, **62**, 529
- Magnetic sensors
 - a micromachined silicon magnetometer, **61**, 339
- Magnetic shielding
 - chopping of a weak magnetic field by a saturable magnetic shield, **60**, 5
- Magnetopneumometry
 - fluxgate sensor for magnetopneumometry, **60**, 76
- Magnetoresistive sensors
 - multisegment magnetoresistive sensor based on the GMR effect, **61**, 323
- Manganese tungstate
 - fabrication and analysis of a thick-film humidity sensor based on MnWO_4 , **61**, 298
- Mass per unit area
 - study of nonwoven mass reorganization under tensile stress thanks to a new optical sensor and image analysis, **62**, 565
- Mass sensitivity
 - an experimental study of Love-wave acoustic sensors operating in liquids, **60**, 54
- Mechanical resonators
 - torque sensor employing a mechanical resonator, **60**, 29
- Mechanical sensors
 - mechanical sensors based on laser-recrystallized SOI structures, **61**, 400
- Mechanical shock testing
 - characterization of the influence of fabrication methods on micro-structure failure, **60**, 181
- Medical applications
 - design, realization and characterization of a symmetrical triaxial capacitive accelerometer for medical applications, **61**, 303
 - simulation of self-control of an electrostatic micromotor for an intravascular echographic system, **62**, 748
- Medium-scale integration (MSI)
 - optical power and intelligent sensors, **60**, 142
- Membranes
 - porous silicon bulk micromachining for thermally isolated membrane formation, **60**, 235
- Metal evaporation
 - vacuum sealing of microcavities using metal evaporation, **61**, 364
- Metallic resonators
 - a pressure transducer using a metallic triple-beam tuning fork, **60**, 160
- Methane gas sensors
 - IPE growth and characterization of InGaAsP/InP heterostructures: IR light-emitting diodes at 1.66 μm . Application to the remote monitoring of methane gas, **62**, 624
- Metrology
 - novel miniature integrated optical goniometers, **60**, 23
- Microaccelerometers
 - planar-assembly triaxial microaccelerometer with electromechanical sigma-delta ADCs, **61**, 436
- Micro-actuators
 - an implantable drug-delivery system based on shape memory alloy micro-actuation, **61**, 455
- Microassembly
 - microstereophotolithography and shape memory alloy for the fabrication of miniaturized actuators, **62**, 741
- Microbridge
 - deformation control of microbridges for flow sensors, **60**, 197
- Microcavities
 - vacuum sealing of microcavities using metal evaporation, **61**, 364
- Microchannel plates
 - a 'when and where' charged-particle sensing system, **61**, 356
- Microchannels
 - microchannels for applications in liquid dosing and flow-rate measurement, **62**, 480
- Microcoils
 - characterization of a planar microcoil for implantable microsystems, **62**, 599
- Microelectromechanical system (MEMS)
 - microstructuring of silicon by electro-discharge machining (EDM) — part I: theory, **60**, 212
 - microstructuring of silicon by electro-discharge machining (EDM) — part II: applications, **61**, 379
 - an implantable drug-delivery system based on shape memory alloy micro-actuation, **61**, 455
- Micromachined switches
 - silicon thermal microrelays with multiple switching states, **62**, 612
- Micromachining
 - micromachined silicon bolometers as detectors of soft X-ray, ultraviolet, visible and infrared radiation, **60**, 154
 - micromachining of (*hh*) silicon structures: experiments and 3D simulation of etched shapes, **60**, 168
 - comparison of a conventional with an advanced micromachined flexible-fuel sensor, **61**, 319
 - writing FIB implantation and subsequent anisotropic wet chemical etching for fabrication of 3D structures in silicon, **61**, 369
 - thermal microsensor with a.c. heating for gas-pressure measurements, **62**, 571
 - electrically removable, micromachined encapsulation for sensitive materials, **62**, 633
 - bipolar-compatible epitaxial poly for smart sensors: stress minimization and applications, **62**, 636
 - new silicon micromachining techniques for microsystems, **62**, 652

- improvement of the porous silicon sacrificial-layer etching for micromachining applications, **62**, 676
- simulation and fabrication of micromachined cantilever valves, **62**, 756
- Micromechanical compartments
 - micromechanical compartments for biotechnological applications: fabrication and investigation of liquid evaporation, **60**, 202
- Micromechanics
 - simulation model for micromechanical angular rate sensor, **60**, 113
 - micromechanical inclinometer, **60**, 134
 - a low-frequency micromechanical resonant vibration sensor for wear monitoring, **62**, 616
- Micromirror arrays
 - micromechanical ultrasonic liquid nebulizer, **62**, 765
- experimental adaptation of model parameters for microelectromechanical systems (MEMS), **62**, 760
- Micromotors
 - modelling and testing of a frictionless levitated micromotor, **61**, 469
- Microphones
 - inorganic electret membrane for a silicon microphone, **61**, 352
- Micropumps
 - piezoelectrically driven micropump for on-demand fuel-drop generation in an automobile heater with continuously adjustable power output, **62**, 752
- Microsensors
 - a design tool for pressure microsensors based on FEM simulations, **62**, 591
- Microstructure failure
 - characterization of the influence of fabrication methods on microstructure failure, **60**, 181
- Microstructures
 - new silicon micromachining techniques for microsystems, **62**, 652
 - optimization of a three-electrode electrochemical etch-stop process, **62**, 668
- Microsystems
 - smart card for detection of alpha radiation, **61**, 431
 - a solid-state pressure-sensing microsystem for biomedical applications, **62**, 551
- Microvalves
 - an implantable drug-delivery system based on shape memory alloy micro-actuation, **61**, 455
- Miniature goniometer modules
 - novel miniature integrated optical goniometers, **60**, 23
- Miniaturization
 - chip elements for fast thermocycling, **62**, 672
- Miniaturized total chemical analysis systems
 - a new fabrication method for borosilicate glass capillary tubes with lateral inlets and outlets, **60**, 219
- Mode coupling
 - mode coupling aspects in a vibrating gyroscope, **62**, 576
- Modelling
 - measurement and modelling of sensitivity and noise of MOS magnetic field-effect transistors, **61**, 346
- MOSFETs
 - measurement and modelling of sensitivity and noise of MOS magnetic field-effect transistors, **61**, 346
- Multichannel sieve electrodes
 - a flexible, light-weight multichannel sieve electrode with integrated cables for interfacing regenerating peripheral nerves, **60**, 240
- Multidetectors
 - a 'when and where' charged-particle sensing system, **61**, 356
- Multifunctional sensors
 - integrated multifunctional humidity sensor, **62**, 582
- Multipoint spectrometry
 - an optoelectronic sensor system for industrial multipoint and imaging spectrometry, **61**, 335
- Multi-range mass-flow sensors
 - asymmetrical locations of heaters and sensors relative to each other using heater arrays: a novel method for designing multi-range electrocaloric mass-flow sensors, **62**, 506
- Multisensor signal processing
 - multisensor signal processing with CAN bus interface, **62**, 729
- Neural networks
 - featureless classification of tactile contacts in a gripper using neural networks, **62**, 488
- Neural prostheses
 - a flexible, light-weight multichannel sieve electrode with integrated cables for interfacing regenerating peripheral nerves, **60**, 240
- Nickel
 - on temperature dependence of conductivity and thermopower of co-sputtered $\text{Ni}_{1-x}(\text{SiO}_2)_{1-x}$ composite thin films, **62**, 687
- Non-destructive test
 - non-destructive in situ test for anodic bonding, **60**, 176
- Nonwovens
 - study of nonwoven mass reorganization under tensile stress thanks to a new optical sensor and image analysis, **62**, 565
- Offset compensation
 - compensation of the temperature-dependent offset drift of a Hall sensor, **60**, 10
- On-chip storage
 - a hierarchical smart-pixel array for feature extraction with on-chip storage, **61**, 293
- Optical differentiators
 - a spatio-temporal differentiation light sensor, **62**, 492
- Optical-fiber sensors
 - static stress optical-fiber sensor, **62**, 501
- Optical power
 - optical power and intelligent sensors, **60**, 142
- Optical sensors
 - study of nonwoven mass reorganization under tensile stress thanks to a new optical sensor and image analysis, **62**, 565
- Optimum design
 - optimum design considerations for silicon piezoresistive pressure sensors, **62**, 539
- Optoelectronics
 - a contrast- and brightness-insensitive optoelectronic edge detector, **60**, 62
- Optoelectronic sensors
 - an optoelectronic sensor system for industrial multipoint and imaging spectrometry, **61**, 335
 - narrow spectral optoelectronic sensors in remote-control equipment, **62**, 595
- Pattern classification
 - featureless classification of tactile contacts in a gripper using neural networks, **62**, 488
- Peripheral nerves
 - a flexible, light-weight multichannel sieve electrode with integrated cables for interfacing regenerating peripheral nerves, **60**, 240
- Phosphorus oxychloride
 - highly phosphorus-doped polysilicon films with low tensile stress for surface micromachining using POCl_3 diffusion doping, **61**, 374
- Photodetectors
 - a linear array of photodetectors with wide dynamic range and near photon quantum-noise limit, **61**, 327
 - photosensor and optical waveguide coupling in silicon technology, **62**, 524
- Piezoceramics
 - some aspects of the piezoceramic materials utilized in sensitive hydrophones, **60**, 139

- Piezoelectric crystals
 - gallium phosphate, GaPO_4 : a new piezoelectric crystal material for high-temperature sensors, **61**, 361
- Piezoelectric elements
 - fabrication and characterization of cantilevers with integrated sharp tips and piezoelectric elements for actuation and detection for parallel AFM applications, **60**, 186
- Piezoelectricity
 - a digital piezoelectric accelerometer with sigma-delta servo technique, **60**, 127
 - piezoelectrically driven micropump for on-demand fuel-drop generation in an automobile heater with continuously adjustable power output, **62**, 752
 - micromechanical ultrasonic liquid nebulizer, **62**, 765
- Piezoelectric liquid sensors
 - prediction ability of a lumped-element equivalent-circuit model for thickness-shear mode resonators in liquids, **60**, 80
- Piezoresistance
 - micromechanical inclinometer, **60**, 134
- Piezoresistance coefficients
 - calibration procedure for piezoresistance coefficients of polysilicon sheets and application to a stress test chip, **62**, 475
- Piezoresistive
 - optimum design considerations for silicon piezoresistive pressure sensors, **62**, 539
- Piezoresistive pressure sensors
 - high-temperature ceramic pressure sensor, **60**, 72
- Piezoresistive sensors
 - simulation of thermally induced package effects with regard to piezoresistive pressure sensors, **60**, 37
- Piezoresistive silicon cantilever probes for the
 - atomic force microscope, **60**, 163
- Polygon-shaped microstructures
 - a study of two-step silicon anisotropic etching for a polygon-shaped microstructure using KOH solution, **62**, 646
- Polymerase chain reaction
 - chip elements for fast thermocycling, **62**, 672
- Polysilicon
 - reliability considerations for electrostatic polysilicon actuators using as an example the REMO component, **61**, 449
- Polysilicon diodes
 - colour sensors based on active interference filters using silicon-compatible materials, **62**, 513
- Polysilicon films
 - highly phosphorus-doped polysilicon films with low tensile stress for surface micromachining using POCl_3 diffusion doping, **61**, 374
- Polysilicon sheets
 - calibration procedure for piezoresistance coefficients of polysilicon sheets and application to a stress test chip, **62**, 475
- Porous silicon
 - frontside micromachining using porous-silicon sacrificial-layer technologies, **60**, 228
 - porous silicon bulk micromachining for thermally isolated membrane formation, **60**, 235
 - the effect of additives on the adsorption properties of porous silicon, **61**, 415
 - improvement of the porous silicon sacrificial-layer etching for micromachining applications, **62**, 676
- Post-processing
 - mechanical sensors integrated in a commercial CMOS technology, **62**, 698
- Potassium hydroxide
 - surface quality of {111} side-walls in KOH-etched cavities, **60**, 244
 - a study of two-step silicon anisotropic etching for a polygon-shaped microstructure using KOH solution, **62**, 646
- Pressure
 - a design tool for pressure microsensors based on FEM simulations, **62**, 591
- Pressure-distribution measurements
 - using of tactile transducer for pressure-distribution measurement on the sole of the foot, **62**, 556
- Pressure sensors
 - electrostatic actuation as a self-testing method for silicon pressure sensors, **60**, 32
 - simulation of thermally induced package effects with regard to piezoresistive pressure sensors, **60**, 37
 - a novel combined redundant pressure sensor with self-test function, **60**, 68
- CMOS fully digital integrated pressure sensors, **60**, 86
 - optimum design considerations for silicon piezoresistive pressure sensors, **62**, 539
 - a solid-state pressure-sensing microsystem for biomedical applications, **62**, 551
 - improvement of the linearity of a capacitive pressure sensor using an interdigitated electrode structure, **62**, 586
 - mechanical sensors integrated in a commercial CMOS technology, **62**, 698
- Pressure transducers
 - a pressure transducer using a metallic triple-beam tuning fork, **60**, 160
- Pt/SiNx film
 - deformation control of microbridges for flow sensors, **60**, 197
- Pyroelectric detectors
 - pyroelectric thin-film sensor array, **60**, 147
- Pyroelectric sensors
 - an integrated charge amplifier for a pyroelectric sensor, **61**, 421
- Q-factor
 - gas damping of electrostatically excited resonators, **61**, 249
- Quantum-noise limit
 - a linear array of photodetectors with wide dynamic range and near photon quantum-noise limit, **61**, 327
- Quartz linear extensional-mode oscillators
 - dynamic behaviour of a quartz extensional-mode non-tactile profile sensor, **61**, 287
- Quartz plates
 - transverse waves trapped by metallic gratings deposited on thin quartz plates, **62**, 543
- Quartz resonators
 - thermosensitive quartz resonators at cryogenic temperatures, **62**, 484
- Radiation detectors
 - micromachined silicon bolometers as detectors of soft X-ray, ultraviolet, visible and infrared radiation, **60**, 154
- Recording heads
 - giant magnetoresistance and its application in recording heads, **60**, 90
- Refractive index
 - refractive-index measurements using an integrated Mach-Zehnder interferometer, **60**, 108
- Reliability
 - reliability considerations for electrostatic polysilicon actuators using as an example the REMO component, **61**, 449
- REMO component
 - reliability considerations for electrostatic polysilicon actuators using as an example the REMO component, **61**, 449
- Remote-control equipment
 - narrow spectral optoelectronic sensors in remote-control equipment, **62**, 595
- Residual stress
 - deformation control of microbridges for flow sensors, **60**, 197
- Resonance measurements
 - a two-step electrochemical etch-stop to produce freestanding bulk-micromachined structures, **60**, 103

- Resonant sensors
 - a low-frequency micromechanical resonant vibration sensor for wear monitoring, **62**, 616
- Response time
 - on the response-time behaviour of laser micromachined NiTi shape memory actuators, **61**, 463
- Sacrificial etching
 - problems of sacrificial etching in the presence of aluminium interconnect, **62**, 692
- Sacrificial-layer etching
 - improvement of the porous silicon sacrificial-layer etching for micromachining applications, **62**, 676
- Sacrificial-layer technology
 - frontside micromachining using porous-silicon sacrificial-layer technologies, **60**, 228
- Self-control
 - simulation of self-control of an electrostatic micromotor for an intravascular echographic system, **62**, 748
- Self testing
 - electrostatic actuation as a self-testing method for silicon pressure sensors, **60**, 32
- Sensitive materials
 - electrically removable, micromachined encapsulation for sensitive materials, **62**, 633
- Sensor arrays
 - pyroelectric thin-film sensor array, **60**, 147
 - electrically removable, micromachined encapsulation for sensitive materials, **62**, 633
- Sensor packaging
 - simulation of thermally induced package effects with regard to piezoresistive pressure sensors, **60**, 37
- Sensors
 - ultrasonic sensor for liquid-level inspection in bottles, **61**, 256
- Shape memory actuators
 - on the response-time behaviour of laser micromachined NiTi shape memory actuators, **61**, 463
- Shape memory alloy
 - an implantable drug-delivery system based on shape memory alloy micro-actuation, **61**, 455
 - microstereophotolithography and shape memory alloy for the fabrication of miniaturized actuators, **62**, 741
- Shape recognition
 - featureless classification of tactile contacts in a gripper using neural networks, **62**, 488
- Si (110)
 - optimum design considerations for silicon piezoresistive pressure sensors, **62**, 539
- Side-walls
 - surface quality of {111} side-walls in KOH-etched cavities, **60**, 244
- Sigma-delta analog–digital converters
 - planar-assembly triaxial microaccelerometer with electromechanical sigma-delta ADCs, **61**, 436
- Sigma-delta servo electronics
 - a digital piezoelectric accelerometer with sigma-delta servo technique, **60**, 127
- Silicide bonding
 - low-temperature intermediate Au–Si wafer bonding; eutectic or silicide bond, **62**, 680
- Silicon
 - a 400°C silicon Hall sensor, **60**, 14
 - micromechanical inclinometer, **60**, 134
 - fabrication of improved piezoresistive silicon cantilever probes for the atomic force microscope, **60**, 163
 - characterization of the influence of fabrication methods on micro-structure failure, **60**, 181
 - bond-quality characterization of silicon–glass anodic bonding, **60**, 223
 - an integrated silicon interferometric temperature sensor, **61**, 267
 - inorganic electret membrane for a silicon microphone, **61**, 352
 - photosensor and optical waveguide coupling in silicon technology, **62**, 524
 - a design tool for pressure microsensors based on FEM simulations, **62**, 591
 - silicon thermal microrelays with multiple switching states, **62**, 612
 - a study of two-step silicon anisotropic etching for a polygon-shaped microstructure using KOH solution, **62**, 646
 - new silicon micromachining techniques for microsystems, **62**, 652
 - chip elements for fast thermocycling, **62**, 672
 - low-temperature intermediate Au–Si wafer bonding; eutectic or silicide bond, **62**, 680
 - ion implantation for nucleation of electrodeless Ni films on <100> Si, **62**, 705
 - Silicon bolometers
 - micromachined silicon bolometers as detectors of soft X-ray, ultraviolet, visible and infrared radiation, **60**, 154
 - Silicon-compatible materials
 - colour sensors based on active interference filters using silicon-compatible materials, **62**, 513
 - Silicon fusion bonding
 - IC-compatible silicon wafer-to-wafer bonding, **60**, 208
 - Silicon membranes
 - a micromachined silicon magnetometer, **61**, 339
 - Silicon micromachining
 - microstructuring of silicon by electro-discharge machining (EDM) — part I: theory, **60**, 212
 - microstructuring of silicon by electro-discharge machining (EDM) — part II: applications, **61**, 379
 - Silicon-on-insulator structures
 - mechanical sensors based on laser-recrystallized SOI structures, **61**, 400
 - Silicon plates
 - micromachining of (hhl) silicon structures: experiments and 3D simulation of etched shapes, **60**, 168
 - Silicon pressure sensors
 - surface quality of {111} side-walls in KOH-etched cavities, **60**, 244
 - Silicon sensors
 - asymmetrical locations of heaters and sensors relative to each other using heater arrays: a novel method for designing multi-range electrocaloric mass-flow sensors, **62**, 506
 - Simulations
 - micromachining of (hhl) silicon structures: experiments and 3D simulation of etched shapes, **60**, 168
 - improvement of the linearity of a capacitive pressure sensor using an interdigitated electrode structure, **62**, 586
 - a design tool for pressure microsensors based on FEM simulations, **62**, 591
 - simulation of self-control of an electrostatic micromotor for an intravascular echographic system, **62**, 748
 - simulation and fabrication of micromachined cantilever valves, **62**, 756
 - Single optical photons
 - a silicon avalanche photodiode for single optical photon counting in the Geiger mode, **60**, 98
 - Smart cards
 - smart card for detection of alpha radiation, **61**, 431
 - Smart microsystems
 - multisensor signal processing with CAN bus interface, **62**, 729
 - Smart sensors
 - bipolar-compatible epitaxial poly for smart sensors: stress minimization and applications, **62**, 636
 - Smart transducers
 - introduction to IEEE-P1451, the emerging hardware-independent communication standard for smart transducers, **62**, 711

- Spatio-temporal differentiation
 - a spatio-temporal differentiation light sensor, **62**, 492
- Spray development
 - low-cost HARKMS process, **61**, 392
- Spread spectrum technique
 - two-channel SAW sensor signal-transmission system, **61**, 309
- Sputter deposition
 - in situ stress measurements of sputter-deposited films, **62**, 663
- Sputtered Ta-Si-N films
 - ternary Ta-Si-N films for sensors and actuators, **61**, 387
- Static stress
 - static stress optical-fiber sensor, **62**, 501
- Stereophotolithography
 - microstereophotolithography and shape memory alloy for the fabrication of miniaturized actuators, **62**, 741
- Stress test chips
 - calibration procedure for piezoresistance coefficients of polysilicon sheets and application to a stress test chip, **62**, 475
- Structure
 - study of nonwoven mass reorganization under tensile stress thanks to a new optical sensor and image analysis, **62**, 565
- Surface acoustic waves
 - high-resolution high-voltage sensor based on SAW, **60**, 49
 - two-channel SAW sensor signal-transmission system, **61**, 309
 - immunosensing with surface acoustic wave sensors, **62**, 562
- Surface acoustic wave sensors
 - AlAs/GaAs layered structures for SAW sensors, **61**, 313
- Surface micromachining
 - new FET accelerometer based on surface micromachining, **61**, 342
 - highly phosphorus-doped polysilicon films with low tensile stress for surface micromachining using POCl_3 diffusion doping, **61**, 374
 - ternary Ta-Si-N films for sensors and actuators, **61**, 387
 - problems of sacrificial etching in the presence of aluminium interconnect, **62**, 692
- Surface quality
 - surface quality of {111} side-walls in KOH-etched cavities, **60**, 244
- Surfactants
 - the effect of additives on the adsorption properties of porous silicon, **61**, 415
- System identification
 - experimental adaptation of model parameters for microelectromechanical systems (MEMS), **62**, 760
- Tactile sensing
 - featureless classification of tactile contacts in a gripper using neural networks, **62**, 488
- Tactile transducers
 - using of tactile transducer for pressure-distribution measurement on the sole of the foot, **62**, 556
- Tantalum nitride
 - high-temperature ceramic pressure sensor, **60**, 72
- Temperature
 - on temperature dependence of conductivity and thermopower of co-sputtered $\text{Ni}_x-(\text{SiO}_2)_{1-x}$ composite thin films, **62**, 687
- Temperature compensation
 - transverse waves trapped by metallic gratings deposited on thin quartz plates, **62**, 543
- Temperature-dependent drift
 - compensation of the temperature-dependent offset drift of a Hall sensor, **60**, 10
- Temperature sensors
 - an integrated silicon interferometric temperature sensor, **61**, 267
 - thermosensitive quartz resonators at cryogenic temperatures, **62**, 484
- Test structures
 - non-destructive in situ test for anodic bonding, **60**, 176
- Thermal effects
 - simulation of thermally induced package effects with regard to piezoresistive pressure sensors, **60**, 37
- Thermal microrelays
 - silicon thermal microrelays with multiple switching states, **62**, 612
- Thermal sensors
 - low power consumption thermal gas-flow sensor based on thermopiles of highly effective thermoelectric materials, **60**, 1
 - thermal microsensor with a.c. heating for gas-pressure measurements, **62**, 571
- Thermocyclers
 - chip elements for fast thermocycling, **62**, 672
- Thermoelectric materials
 - low power consumption thermal gas-flow sensor based on thermopiles of highly effective thermoelectric materials, **60**, 1
- Thermoelectric microgenerators
 - metallic thin-film thermocouple for thermoelectric microgenerators, **60**, 65
- Thermopiles
 - low power consumption thermal gas-flow sensor based on thermopiles of highly effective thermoelectric materials, **60**, 1
- Thermopneumatics
 - silicon thermal microrelays with multiple switching states, **62**, 612
- Thermopower
 - on temperature dependence of conductivity and thermopower of co-sputtered $\text{Ni}_x-(\text{SiO}_2)_{1-x}$ composite thin films, **62**, 687
- Thick-film technology
 - fabrication and analysis of a thick-film humidity sensor based on MnWO_4 , **61**, 298
- Thickness-shear-mode resonators
 - analysis of compressional-wave influence on thickness-shear-mode resonators in liquids, **60**, 40
 - prediction ability of a lumped-element equivalent-circuit model for thickness-shear mode resonators in liquids, **60**, 80
 - possibilities and limitations in quantitative determination of polymer shear parameters by TSM resonators, **61**, 260
- Thin-film sensors
 - pyroelectric thin-film sensor array, **60**, 147
- Thin-film thermocouples
 - metallic thin-film thermocouple for thermoelectric microgenerators, **60**, 65
- Three-dimensional micromachining
 - microstructuring of silicon by electro-discharge machining (EDM) — part I: theory, **60**, 212
- Time-resolving
 - a 'when and where' charged-particle sensing system, **61**, 356
- Torque sensors
 - torque sensor employing a mechanical resonator, **60**, 29
- Triaxial accelerometers
 - design, realization and characterization of a symmetrical triaxial capacitive accelerometer for medical applications, **61**, 303
- Tuning forks
 - a pressure transducer using a metallic triple-beam tuning fork, **60**, 160
- Ultrasonic
 - ultrasonic sensor for liquid-level inspection in bottles, **61**, 256
- Ultrasonic nebulization
 - micromechanical ultrasonic liquid nebulizer, **62**, 765
- Uniaxial stress
 - study of nonwoven mass reorganization under tensile stress thanks to a new optical sensor and image analysis, **62**, 565
- UV depth lithography
 - low-cost HARKMS process, **61**, 392
- Vacuum sealing
 - vacuum sealing of microcavities using metal evaporation, **61**, 364

- VDF/TrFE copolymers
 - an integrated charge amplifier for a pyroelectric sensor, **61**, 421
- Vibrating gyroscopes
 - mode coupling aspects in a vibrating gyroscope, **62**, 576
- Vibration sensors
 - a low-frequency micromechanical resonant vibration sensor for wear monitoring, **62**, 616
- Virtual instrumentation
 - virtual instrumentation and intelligent sensors, **61**, 427
- Voltage sensors
 - high-resolution high-voltage sensor based on SAW, **60**, 49
- Wafer bonding
 - low-temperature intermediate Au-Si wafer bonding; eutectic or silicide bond, **62**, 680
- Waveguides
 - photosensor and optical waveguide coupling in silicon technology, **62**, 524
- Weak magnetic fields
 - chopping of a weak magnetic field by a saturable magnetic shield, **60**, 5
- Wear monitoring
 - a low-frequency micromechanical resonant vibration sensor for wear monitoring, **62**, 616
- Wireless signal transmission
 - two-channel SAW sensor signal-transmission system, **61**, 309
- Y-rotated quartz plates
 - chemical etching of Y-rotated quartz plates: experiments and theoretical approach, **61**, 405

